

## SUS 316L

### 継目無管

| 外径   |   | 厚さ   |   | 長さ   |
|------|---|------|---|------|
| 4.0  | × | 0.5  | × | 4000 |
| 5.0  | × | 0.5  | × | 4000 |
|      |   | 1.0  | × | 4000 |
| 6.0  | × | 0.5  | × | 4000 |
|      |   | 1.0  | × | 4000 |
|      |   | 1.2  | × | 4000 |
|      |   | 1.5  | × | 4000 |
| 6.35 | × | 0.89 | × | 4000 |
|      |   | 1.0  | × | 4000 |
|      |   | 1.25 | × | 4000 |
|      |   | 1.5  | × | 4000 |
|      |   | 1.65 | × | 4000 |
| 8.0  | × | 0.5  | × | 4000 |
|      |   | 0.8  | × | 4000 |
|      |   | 1.0  | × | 4000 |
|      |   | 1.5  | × | 4000 |
|      |   | 2.0  | × | 2000 |
|      |   | 2.0  | × | 4000 |
| 9.0  | × | 1.0  | × | 4000 |
|      |   | 1.5  | × | 4000 |
|      |   | 2.0  | × | 4000 |
| 9.53 | × | 0.89 | × | 4000 |
|      |   | 1.0  | × | 4000 |
|      |   | 1.25 | × | 4000 |
|      |   | 1.5  | × | 4000 |
|      |   | 1.65 | × | 4000 |
|      |   | 2.0  | × | 4000 |
| 10.0 | × | 0.5  | × | 4000 |
|      |   | 1.0  | × | 4000 |
|      |   | 1.2  | × | 4000 |
|      |   | 1.5  | × | 4000 |

| 外径   |   | 厚さ   |   | 長さ   |
|------|---|------|---|------|
| 10.0 | × | 1.7  | × | 4000 |
|      |   | 2.0  | × | 4000 |
|      |   | 2.4  | × | 4000 |
|      |   | 3.0  | × | 4000 |
| 10.5 | × | 1.0  | × | 4000 |
|      |   | 1.2  | × | 4000 |
|      |   | 1.2  | × | 5500 |
|      |   | 1.5  | × | 4000 |
|      |   | 1.5  | × | 5500 |
|      |   | 1.7  | × | 4000 |
|      |   | 2.0  | × | 5500 |
| 12.0 | × | 1.0  | × | 4000 |
|      |   | 1.5  | × | 4000 |
|      |   | 2.0  | × | 4000 |
|      |   | 3.0  | × | 4000 |
| 12.7 | × | 0.89 | × | 4000 |
|      |   | 1.0  | × | 4000 |
|      |   | 1.2  | × | 4000 |
|      |   | 1.25 | × | 4000 |
|      |   | 1.5  | × | 4000 |
|      |   | 1.65 | × | 4000 |
| 13.0 | × | 1.0  | × | 4000 |
|      |   | 2.0  | × | 4000 |
| 13.8 | × | 1.2  | × | 4000 |
|      |   | 1.65 | × | 4000 |
|      |   | 1.65 | × | 5500 |
|      |   | 2.0  | × | 4000 |
|      |   | 2.0  | × | 5500 |
|      |   | 2.2  | × | 4000 |
| 14.0 | × | 1.0  | × | 4000 |
|      |   | 1.5  | × | 4000 |
|      |   | 2.0  | × | 4000 |
|      |   | 3.0  | × | 4000 |
|      |   | 3.0  | × | 5500 |
| 15.0 | × | 1.0  | × | 4000 |
|      |   | 1.5  | × | 4000 |

| 外径   |   | 厚さ   |   | 長さ   |
|------|---|------|---|------|
| 15.0 | × | 2.0  | × | 4000 |
|      |   | 3.0  | × | 4000 |
| 16.0 | × | 1.0  | × | 4000 |
|      |   | 1.5  | × | 4000 |
|      |   | 2.0  | × | 4000 |
| 17.3 | × | 1.2  | × | 4000 |
|      |   | 1.2  | × | 5500 |
|      |   | 1.65 | × | 4000 |
| 18.0 | × | 1.0  | × | 4000 |
|      |   | 1.5  | × | 4000 |
|      |   | 2.0  | × | 4000 |
|      |   | 2.0  | × | 5500 |
|      |   | 2.3  | × | 4000 |
|      |   | 2.3  | × | 5500 |
| 19.0 | × | 1.0  | × | 4000 |
|      |   | 1.2  | × | 4000 |
|      |   | 1.5  | × | 4000 |
|      |   | 2.0  | × | 4000 |
| 20.0 | × | 1.0  | × | 4000 |
|      |   | 1.5  | × | 4000 |
|      |   | 2.0  | × | 4000 |
| 21.7 | × | 1.65 | × | 4000 |
|      |   | 1.65 | × | 5500 |
|      |   | 2.1  | × | 4000 |
|      |   | 2.1  | × | 5500 |
|      |   | 2.5  | × | 4000 |
|      |   | 2.5  | × | 5500 |
|      |   | 2.8  | × | 4000 |
|      |   | 2.8  | × | 5500 |
|      |   | 2.8  | × | 6000 |
| 22.0 | × | 1.0  | × | 4000 |
|      |   | 1.5  | × | 4000 |
|      |   | 3.7  | × | 4000 |
|      |   | 3.7  | × | 5500 |

| 外径   |   | 厚さ   |   | 長さ   |
|------|---|------|---|------|
| 22.0 | × | 2.0  | × | 4000 |
| 23.0 | × | 1.0  | × | 4000 |
| 25.0 | × | 1.0  | × | 4000 |
|      |   | 1.5  | × | 4000 |
|      |   | 2.0  | × | 4000 |
| 25.4 | × | 2.0  | × | 4000 |
| 27.2 | × | 1.65 | × | 4000 |
|      |   | 1.65 | × | 5500 |
|      |   | 2.1  | × | 4000 |
|      |   | 2.1  | × | 5500 |
|      |   | 2.1  | × | 6000 |
|      |   | 2.5  | × | 4000 |
|      |   | 2.5  | × | 5500 |
|      |   | 2.9  | × | 4000 |
|      |   | 2.9  | × | 5500 |
|      |   | 3.9  | × | 4000 |
|      |   | 3.9  | × | 5500 |
|      |   | 5.5  | × | 4000 |
|      |   | 5.5  | × | 5500 |
|      |   | 30.0 | × | 1.0  |
| 1.5  | × |      |   | 4000 |
| 2.0  | × |      |   | 4000 |
| 3.0  | × |      |   | 4000 |
| 32.0 | × | 2.0  | × | 4000 |
|      |   | 3.0  | × | 4000 |
| 34.0 | × | 1.65 | × | 4000 |
|      |   | 1.65 | × | 5500 |
|      |   | 2.0  | × | 4000 |
|      |   | 2.8  | × | 4000 |
|      |   | 2.8  | × | 5500 |
|      |   | 3.0  | × | 4000 |
|      |   | 3.0  | × | 5500 |
|      |   | 3.0  | × | 6000 |
|      |   | 3.4  | × | 4000 |
|      |   | 3.4  | × | 5500 |
|      |   | 4.5  | × | 4000 |
|      |   | 4.5  | × | 5500 |
|      |   | 6.4  | × | 4000 |
|      |   | 6.4  | × | 5500 |
| 9.1  | × | 4000 |   |      |
| 9.1  | × | 5500 |   |      |
| 38.0 | × | 1.2  | × | 4000 |

| 外径   |   | 厚さ   |   | 長さ   |
|------|---|------|---|------|
| 38.0 | × | 1.5  | × | 4000 |
|      |   | 2.0  | × | 4000 |
| 42.7 | × | 1.65 | × | 4000 |
|      |   | 1.65 | × | 5500 |
|      |   | 2.8  | × | 4000 |
|      |   | 2.8  | × | 5500 |
|      |   | 3.0  | × | 4000 |
|      |   | 3.0  | × | 5500 |
|      |   | 3.6  | × | 4000 |
|      |   | 3.6  | × | 5500 |
|      |   | 3.6  | × | 6000 |
|      |   | 4.9  | × | 4000 |
| 48.6 | × | 1.65 | × | 4000 |
|      |   | 2.8  | × | 4000 |
|      |   | 2.8  | × | 5500 |
|      |   | 3.0  | × | 4000 |
|      |   | 3.0  | × | 5500 |
|      |   | 3.7  | × | 4000 |
|      |   | 3.7  | × | 5500 |
|      |   | 5.1  | × | 4000 |
|      |   | 5.1  | × | 5500 |
|      |   | 7.1  | × | 4000 |
| 60.5 | × | 1.65 | × | 4000 |
|      |   | 1.65 | × | 5500 |
|      |   | 2.8  | × | 4000 |
|      |   | 2.8  | × | 5500 |
|      |   | 3.0  | × | 4000 |
|      |   | 3.0  | × | 5500 |
|      |   | 3.5  | × | 4000 |
|      |   | 3.5  | × | 5500 |
|      |   | 3.9  | × | 4000 |
|      |   | 3.9  | × | 5500 |
| 63.5 | × | 6.5  | × | 6000 |
|      |   | 5.5  | × | 4000 |
|      |   | 5.5  | × | 5500 |
|      |   | 8.7  | × | 4000 |

| 外径   |   | 厚さ    |   | 長さ   |
|------|---|-------|---|------|
| 68.0 | × | 8.0   | × | RL   |
| 71.0 | × | 10.5  | × | RL   |
| 76.3 | × | 2.1   | × | 4000 |
|      |   | 3.0   | × | 4000 |
|      |   | 3.0   | × | 5500 |
|      |   | 3.5   | × | 4000 |
|      |   | 3.5   | × | 5500 |
|      |   | 4.0   | × | 4000 |
|      |   | 5.2   | × | 4000 |
|      |   | 5.2   | × | 5500 |
|      |   | 5.2   | × | 6000 |
|      |   | 7.0   | × | 4000 |
|      |   | 7.0   | × | 5500 |
|      |   | 7.0   | × | 6000 |
|      |   | 9.5   | × | 4000 |
|      |   | 9.5   | × | 5500 |
| 89.1 | × | 15.0  | × | 4000 |
|      |   | 2.1   | × | 4000 |
|      |   | 3.0   | × | 4000 |
|      |   | 3.0   | × | 5500 |
|      |   | 3.0   | × | 6000 |
|      |   | 3.5   | × | 8000 |
|      |   | 4.0   | × | 4000 |
|      |   | 4.0   | × | 5500 |
|      |   | 5.5   | × | 4000 |
|      |   | 5.5   | × | 5500 |
| 95.0 | × | 5.5   | × | 6000 |
|      |   | 7.6   | × | 4000 |
|      |   | 7.6   | × | 5500 |
|      |   | 7.6   | × | 6000 |
|      |   | 11.1  | × | 4000 |
|      |   | 11.1  | × | 5500 |
|      |   | 11.1  | × | 6000 |
|      |   | 15.2  | × | 5500 |
|      |   | 12.5  | × | 5500 |
|      |   | 101.6 | × | 2.1  |
| 3.0  | × |       |   | 4000 |
| 3.0  | × |       |   | 5500 |
| 4.0  | × |       |   | 4000 |
| 4.0  | × |       |   | 5500 |
| 5.7  | × |       |   | 4000 |

| 外径    |       | 厚さ   |     | 長さ   |
|-------|-------|------|-----|------|
| 101.6 | ×     | 5.7  | ×   | 5500 |
|       |       | 5.7  | ×   | 6000 |
|       |       | 8.1  | ×   | 4000 |
|       |       | 8.1  | ×   | 5500 |
|       |       | 8.1  | ×   | 6000 |
|       |       | 12.7 | ×   | 4000 |
|       |       | 12.7 | ×   | 5500 |
|       |       | 12.7 | ×   | 6000 |
|       | 114.3 | ×    | 2.1 | ×    |
|       |       | 2.1  | ×   | 5500 |
|       |       | 3.0  | ×   | 4000 |
|       |       | 3.0  | ×   | 5500 |
|       |       | 3.0  | ×   | 6000 |
|       |       | 4.0  | ×   | 4000 |
|       |       | 4.0  | ×   | 5500 |
|       |       | 6.0  | ×   | 4000 |
|       |       | 6.0  | ×   | 5500 |
|       |       | 6.0  | ×   | 6000 |
|       |       | 8.6  | ×   | 4000 |
|       |       | 8.6  | ×   | 5500 |
|       |       | 8.6  | ×   | 6000 |
|       |       | 11.1 | ×   | 4000 |
|       |       | 11.1 | ×   | 5500 |
|       |       | 11.1 | ×   | 6000 |
|       |       | 13.5 | ×   | 4000 |
|       |       | 13.5 | ×   | 5500 |
|       |       | 13.5 | ×   | 6000 |
|       |       | 17.1 | ×   | 5500 |
|       |       | 17.1 | ×   | 6000 |
| 139.8 | ×     | 3.4  | ×   | 4000 |
|       |       | 3.4  | ×   | 5500 |
|       |       | 3.4  | ×   | 6000 |
|       |       | 5.0  | ×   | 4000 |
|       |       | 5.0  | ×   | 5500 |
|       |       | 5.0  | ×   | 6000 |
|       |       | 6.6  | ×   | 4000 |
|       |       | 6.6  | ×   | 5500 |
|       |       | 6.6  | ×   | 6000 |
|       |       | 9.5  | ×   | 4000 |
|       |       | 9.5  | ×   | 5500 |
|       |       | 9.5  | ×   | 6000 |
|       |       | 12.7 | ×   | 4000 |

| 外径    |       | 厚さ   |      | 長さ   |
|-------|-------|------|------|------|
| 139.8 | ×     | 12.7 | ×    | 5500 |
|       |       | 12.7 | ×    | 6000 |
|       |       | 15.9 | ×    | 4000 |
|       |       | 15.9 | ×    | 5500 |
|       |       | 15.9 | ×    | 6000 |
|       | 145.0 | ×    | 13.0 | ×    |
| 155.0 | ×     | 25.0 | ×    | RL   |
| 165.2 | ×     | 3.4  | ×    | 4000 |
|       |       | 3.4  | ×    | 5500 |
|       |       | 5.0  | ×    | 4000 |
|       |       | 5.0  | ×    | 5500 |
|       |       | 5.0  | ×    | 6000 |
|       |       | 7.1  | ×    | 4000 |
|       |       | 7.1  | ×    | 5500 |
|       |       | 7.1  | ×    | 6000 |
|       |       | 11.0 | ×    | 4000 |
|       |       | 11.0 | ×    | 5500 |
|       |       | 11.0 | ×    | 6000 |
|       |       | 14.3 | ×    | 4000 |
|       | 14.3  | ×    | 5500 |      |
|       | 14.3  | ×    | 6000 |      |
|       | 18.2  | ×    | 4000 |      |
|       | 18.2  | ×    | 5500 |      |
|       | 18.2  | ×    | 6000 |      |
| 190.7 | ×     | 11.0 | ×    | 4000 |
| 200.0 | ×     | 20.0 | ×    | RL   |
| 216.3 | ×     | 4.0  | ×    | 4000 |
|       |       | 6.5  | ×    | 4000 |
|       |       | 6.5  | ×    | 5500 |
|       |       | 6.5  | ×    | 6000 |
|       |       | 8.2  | ×    | 4000 |
|       |       | 8.2  | ×    | 5500 |
|       |       | 8.2  | ×    | 6000 |
|       |       | 12.7 | ×    | 4000 |
|       |       | 12.7 | ×    | 5500 |
|       | 12.7  | ×    | 6000 |      |
|       | 18.2  | ×    | 4000 |      |
|       | 18.2  | ×    | 5500 |      |
|       | 18.2  | ×    | 6000 |      |
|       | 23.0  | ×    | 4000 |      |
|       | 23.0  | ×    | RL   |      |
| 267.4 |       | 4.0  | ×    | 5500 |

| 外径    |       | 厚さ   |      | 長さ   |
|-------|-------|------|------|------|
| 267.4 | ×     | 6.5  | ×    | 4000 |
|       |       | 9.3  | ×    | 4000 |
|       |       | 9.3  | ×    | 5500 |
|       |       | 9.3  | ×    | 6000 |
|       |       | 12.7 | ×    | RL   |
|       |       | 15.1 | ×    | 5500 |
|       |       | 15.1 | ×    | 6000 |
|       |       | 21.4 | ×    | 5500 |
|       |       | 21.4 | ×    | 6000 |
|       |       | 28.6 | ×    | 6000 |
| 318.5 | ×     | 10.3 | ×    | 4000 |
|       |       | 10.3 | ×    | 5500 |
|       |       | 10.3 | ×    | 6000 |
|       |       | 17.4 | ×    | 5500 |
|       |       | 17.4 | ×    | 6000 |
|       |       | 21.4 | ×    | RL   |
|       |       | 25.4 | ×    | 6000 |
|       |       | 33.3 | ×    | 6000 |
|       | 355.6 | ×    | 11.1 | ×    |
|       | 19.0  | ×    | 6000 |      |
| 406.4 | ×     | 12.7 | ×    | 6000 |
|       |       | 21.4 | ×    | 6000 |